



SAFETY DATA SHEET

Revision Date 03/12/2020

REVISION NUMBER: 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name ENVIROGUARD® SANITIZER

Other means of identification

Product code 515987
UN/ID No. 3098
Synonyms None
Registration Number(s) United States: 63838-1-527

Recommended use of the chemical and restrictions on use

Recommended Use Sanitizer.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address
See Distributor information.

Importer
Rochester Midland Canada Corporation
143 Mills Road
Ajax, ON L1S 2H2
Canada
905-619-6738

Distributor

Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624 USA
(585) 336-2200

Emergency telephone number

EMERGENCY TELEPHONE
INFOTRAC: 1-800-535-5053
OUTSIDE U.S.: +1-352-323-3500
CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Oxidizing liquids	Category 2
Corrosive to metals	Category 1
Organic peroxides	Type G

Label elements

Emergency Overview

DANGER

Hazard statements

Harmful if swallowed
 Causes severe skin burns and eye damage
 May intensify fire; oxidizer
 May be corrosive to metals



Appearance Clear, Colorless

Physical state Liquid

Odor Vinegar-like

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wear protective gloves/protective clothing/eye protection/face protection
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep/Store away from clothing/combustible materials
 Take any precaution to avoid mixing with combustibles
 Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a POISON CENTER or doctor/physician
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth
 Do NOT induce vomiting
 In case of fire: Use CO₂, dry chemical, or foam for extinction
 Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up
 Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

- May be harmful in contact with skin
- Toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Acetic acid	64-19-7	3 - 7	*
Hydrogen Peroxide	7722-84-1	15 - 40	*
Peracetic Acid	79-21-0	3 - 7	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice	Immediately call a POISON CENTER or doctor/physician.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products May cause fire and explosions when in contact with incompatible materials.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ventilate affected area. Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection.

Environmental precautions

Environmental precautions Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Avoid contact with eyes, skin and clothing. Do not contaminate water, food, or feed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Protect from sunlight. Keep container closed when not in use.

Incompatible materials Strong reducing agents. Bases. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Exposure Guidelines**

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	50 ppm
Hydrogen Peroxide 7722-84-1	TWA: 1 ppm	(vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³ TWA: 1 ppm TWA: 1.4 mg/m ³	75 ppm
Peracetic Acid 79-21-0	STEL: 0.4 ppm inhalable fraction and vapor	NA	-

Appropriate engineering controls

ENGINEERING CONTROLS Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles and face shield are recommended to minimize eye contact.

Skin and body protection Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is likely. In case of confined spaces or high levels encountered in the air, wear self-contained breathing apparatus.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Vinegar-like
Appearance	Clear, Colorless	Odor threshold	No information available
Color	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	1	(10% solution)
Melting point/freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	93 °C / 200 °F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	22 mm Hg	
Vapor density	No information available	
Specific gravity	1.12	
Water solubility	COMPLETE	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	270 °C / 518 °F	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
VOC (EPA METH.24) (G/L):	0
Density	9.34 lbs/gal (1.12 kg/l)
Bulk density	No information available

10. STABILITY AND REACTIVITY**REACTIVITY**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

May react with incompatible materials.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Strong reducing agents. Bases. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.

Hazardous Decomposition Products

Oxygen.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Product Information	Harmful if swallowed. Causes severe skin burns and eye damage.
Inhalation	Causes burns.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin contact	Causes burns. May be harmful in contact with skin.
Ingestion	Harmful if swallowed. Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Acetic acid 64-19-7	= 3310 mg/kg (Rat)	= 1060 µL/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h
Hydrogen Peroxide 7722-84-1	= 801 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 2 g/m ³ (Rat) 4 h
Peracetic Acid 79-21-0	= 263 mg/kg (Rat)	= 1410 µL/kg (Rabbit)	= 0.3 mg/L (Rat) 1 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
Hydrogen Peroxide 7722-84-1	A3	Group 3	-	-

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	880 mg/kg
ATEmix (dermal)	1612 mg/kg
ATEmix (inhalation-dust/mist)	1.9 mg/l

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life.

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Acetic acid 64-19-7	-	75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50 Static
Hydrogen Peroxide 7722-84-1	-	16.4: 96 h Pimephales promelas mg/L LC50 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static	18 - 32: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
Acetic acid 64-19-7	-0.31

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods**Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

14. TRANSPORT INFORMATION

DEPT. OF TRANSPORTATION

UN/ID No.	3098
Proper shipping name	OXIDIZING LIQUID, CORROSIVE, N.O.S. (CONTAINS HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED)
Hazard Class	5.1
Subsidiary class	8
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

TDG

UN/ID No.	3098
Proper shipping name	OXIDIZING LIQUID, CORROSIVE, N.O.S. (CONTAINS HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED)
Hazard Class	5.1
Subsidiary class	8
Packing Group	II
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Does not Comply
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %
Peracetic Acid - 79-21-0	1.0

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	YES
Sudden release of pressure hazard	No
REACTIVE HAZARD	YES

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Acetic acid 64-19-7	5000	
Hydrogen Peroxide 7722-84-1	-	1000
Peracetic Acid 79-21-0	-	500

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Acetic acid 64-19-7	Listed	Listed	Listed
Hydrogen Peroxide 7722-84-1	1015	Listed	Listed
Peracetic Acid 79-21-0	1482	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number 63838-1-527 (United States)

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

DANGER

CORROSIVE

Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed.

Strong oxidizing agent. Corrosive.

This pesticide is toxic to birds, fish and aquatic invertebrates.

16. OTHER INFORMATION**NFPA**

Health hazards 3

Flammability 1

Instability 1

Physical and Chemical Properties OX

HMIS

Health hazards 3

Flammability 1

Physical hazards 1

Personal protection D

Revision Date 03/12/2020

Revision Note

Minor revisions for Canadian GHS compliance.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

***** END OF SDS *****